




Performance

Metrics



▲ First Contentful Paint	2.0 s	▲ Time to Interactive	28.7 s
▲ Speed Index	16.2 s	▲ Total Blocking Time	2,930 ms
▲ Largest Contentful Paint	30.7 s	▲ Cumulative Layout Shift	0.77

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

[View Original Trace](#)



Opportunities — These suggestions can help your page load faster. They don't [directly affect](#) the Performance score.

Opportunity	Estimated Savings
▲ Preload key requests	29.74 s

Consider using `` to prioritize fetching resources that are currently requested later in page load. [Learn more.](#)

☐ Show 3rd-party resources (0)

URL	Potential Savings
...Fonts/barlowsemicondensed-bold.woff (intranet-oi)	29,740 ms
...Fonts/barlowsemicondensed-medium.woff (intranet-oi)	29,500 ms

URL	Potential Savings
...Fonts/barlowsemicondensed-regular.woff (intranet-oi)	29,360 ms
...Fonts/barlowsemicondensed-semibold.woff (intranet-oi)	29,200 ms

▲

Remove unused JavaScript

11.8 s ^

Remove unused JavaScript to reduce bytes consumed by network activity. [Learn more.](#)



If you are not server-side rendering, [split your JavaScript bundles](#) with `React.lazy()`. Otherwise, code-split using a third-party library such as [loadable-components](#).

☒ Show 3rd-party resources (19)

URL	Transfer Size	Potential Savings
...3f14b545-9f67-4506-a827-4f072116fa2c/ckeditor_3c2150b....js (ciruspubli)	1,537.1 KiB	1,137.5 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/actus-slider-web-part_....js (ciruspubli)	1,603.0 KiB	1,040.9 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/blocactu_d173a09....js (ciruspubli)	1,506.0 KiB	987.8 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/focus-publication-web-....js (ciruspubli)	1,519.7 KiB	971.3 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/breves-web-part_eed0ae....js (ciruspubli)	1,472.3 KiB	957.1 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/page-cmd-application-c....js (ciruspubli)	1,090.3 KiB	797.5 KiB
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/player-video-web-part_....js (ciruspubli)	1,176.0 KiB	786.0 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/toolbar-application-cu....js (ciruspubli)	1,212.2 KiB	754.4 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/comments-application-c....js (ciruspubli)	1,014.0 KiB	742.3 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/liens-images-web-part_....js (ciruspubli)	1,103.3 KiB	733.1 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/agenda-list-web-part_f....js (ciruspubli)	1,037.4 KiB	665.9 KiB
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/tag-cloud-web-part_317....js (ciruspubli)	899.6 KiB	583.1 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/page-global-applicatio....js (ciruspubli)	684.0 KiB	581.4 KiB
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/quick-link-web-part_50....js (ciruspubli)	913.3 KiB	578.0 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/navigation-listener-ap....js (ciruspubli)	608.1 KiB	518.8 KiB
...83ffa662-304b-41b5-b181-660386dcf844/sync-menu-application-....js (ciruspubli)	584.8 KiB	515.0 KiB
...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-footer-appli....js (ciruspubli)	636.7 KiB	506.6 KiB
...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-header-appli....js (ciruspubli)	656.5 KiB	495.3 KiB
...fr-fr/sp-pages-assembly.js?uniqueId=hhPtU (intranet-oi)	953.0 KiB	350.4 KiB
...spclient/10.sp-pages-search.js (intranet-oi)	629.4 KiB	274.5 KiB
...odspnext/splist.js?rev=aC4bXHs%2FJe9jR6sr38ZsJA%3D%3DTAG0 (intranet-oi)	305.0 KiB	264.4 KiB
...odspnext/spofiles.js?rev=VR1emyK18i0U8cBi%2F8Pwtw%3D%3DTAG0 (intranet-oi)	214.2 KiB	186.9 KiB
...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-menu-applica....js (ciruspubli)	729.4 KiB	174.2 KiB
...odspnext/spoapp.js?rev=Hxkyvfk%2Fo4z6epnZ50VecA%3D%3DTAG0 (intranet-oi)	87.2 KiB	79.1 KiB

URL	Transfer Size	Potential Savings
...odspnext/splistrea....js?rev=UV7bl2mUZ...%3D%3DTAG0 (intranet-oi)	86.6 KiB	77.0 KiB
...odspnext/react.js?rev=3UacE4f8r...%3D%3DTAG0 (intranet-oi)	42.9 KiB	42.7 KiB
...spclient/11.sp-pages-service.js (intranet-oi)	45.2 KiB	35.4 KiB
...fr/spofiles.resx.js?rev=CATvpITZx...%2B1w%3D%3DTAG0 (intranet-oi)	36.0 KiB	34.4 KiB
...odspnext/knockout.js?rev=9WO%2BKSaWlwK...%3D%3DTAG0 (intranet-oi)	32.1 KiB	31.2 KiB
...15/SuiteNavStandalone.js?rev=d8a%2BXXlpZzu...%3D%3DTAG0 (intranet-oi)	87.6 KiB	30.3 KiB
...fr-fr/sp-webpart-shared.js?uniqueId=hhPtU (intranet-oi)	54.2 KiB	27.8 KiB
...odspnext/listviewd....js?rev=nrOmv8ZN7...%3D%3DTAG0 (intranet-oi)	25.9 KiB	23.8 KiB

▲ Defer offscreen images 8.12 s ^

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn more](#).

☐ Show 3rd-party resources (0)

URL	Resource Size	Potential Savings
 /SiteAssets/___sitelogo___180181-002.jpg (intranet-oi)	4,017.8 KiB	4,017.8 KiB
 ...IMAGES%20SHUTTERSTOCK%20BD/Livres2_bd.jpg?csf=1&e=betruD (intranet-oi)	334.2 KiB	334.2 KiB
 ...spclient/spdefaultbanner_light_a0bc58c....jpg (intranet-oi)	22.6 KiB	22.6 KiB
 ...images/sitepagethumbnail.png (intranet-oi)	4.3 KiB	4.3 KiB

▲ Reduce initial server response time 4.33 s ^

Keep the server response time for the main document short because all other requests depend on it. [Learn more](#).

☐ Show 3rd-party resources (0)

URL	Time Spent
...perfs/Perfs-accueil-INT.aspx (intranet-oi)	4,430 ms

▲ Properly size images 2.64 s ^

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn more](#).

☐ Show 3rd-party resources (0)

URL	Resource Size	Potential Savings
 ...1/Comm4_bd.jpg (intranet-oi)	312.8 KiB	311.8 KiB

URL	Resource Size	Potential Savings
 ...Hauts-de-France/histogramme%20image%203.jpg (intranet-oi)	285.1 KiB	269.9 KiB
 ...IMAGES%20SHUTTERSTOCK%20BD/Livres2_bd.jpg?csf=1&e=betruD (intranet-oi)	334.2 KiB	255.2 KiB
 ...2/ld%C3%A9e1_bd.jpg (intranet-oi)	253.1 KiB	252.6 KiB
 ...IMAGES%20SHUTTERSTOCK%20BD/Ordinateur1_bd.jpg (intranet-oi)	295.7 KiB	200.3 KiB
 ...IMAGES%20SHUTTERSTOCK%20BD/ld%C3%A9e5_bd.jpg (intranet-oi)	292.5 KiB	198.2 KiB
 ...IMAGES%20SHUTTERSTOCK%20BD/Innovation1_bd.jpg (intranet-oi)	215.5 KiB	198.1 KiB
 ...IMAGES%20SHUTTERSTOCK%20BD/ld%C3%A9e3_bd.jpg (intranet-oi)	192.2 KiB	181.8 KiB
 ...IMAGES%20SHUTTERSTOCK%20BD/Livres1.jpg (intranet-oi)	258.8 KiB	175.3 KiB
 ...IMAGES%20SHUTTERSTOCK%20BD/ld%C3%A9e6_bd.jpg (intranet-oi)	258.4 KiB	175.0 KiB
 ...IMAGES%20SHUTTERSTOCK%20BD/Intranet1_bd.jpg (intranet-oi)	258.7 KiB	174.0 KiB

 Use HTTP/2

1.97 s ^

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more.](#)

☒ Show 3rd-party resources (44)

URL	Protocol
...perfs/Perfs-accueil-INT.aspx (intranet-oi)	http/1.1
...fr-fr/sp-pages-assembly.js?uniqueId=hhPtU (intranet-oi)	http/1.1
...spclient/0.legacy-third-party-fabric-core.js (intranet-oi)	http/1.1
/SiteAssets/_sitelogo__180181-002.jpg (intranet-oi)	http/1.1
...83ffa662-304b-41b5-b181-660386dcf844/spfx-controlstrings_fr....js (ciruspubli)	http/1.1
...83ffa662-304b-41b5-b181-660386dcf844/spfx-intrane2headerapp....js (ciruspubli)	http/1.1
...83ffa662-304b-41b5-b181-660386dcf844/spfx-intrane2menuappli....js (ciruspubli)	http/1.1
...83ffa662-304b-41b5-b181-660386dcf844/spfx-intrane2footerapp....js (ciruspubli)	http/1.1
...83ffa662-304b-41b5-b181-660386dcf844/spfx-syncmenuapplicati....js (ciruspubli)	http/1.1
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/spfx-controlstrings_fr....js (ciruspubli)	http/1.1
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/spfx-toolbarapplicatio....js (ciruspubli)	http/1.1
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/spfx-pagecmdapplicatio....js (ciruspubli)	http/1.1

URL	Protocol
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/spfx-pageglobalapplica....js (ciruspubli)	http/1.1
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/spfx-commentsapplicati....js (ciruspubli)	http/1.1
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-controlstrings_fr....js (ciruspubli)	http/1.1
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-actussliderwebpar....js (ciruspubli)	http/1.1
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-liensimageswebpar....js (ciruspubli)	http/1.1
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-breveswebpartstri....js (ciruspubli)	http/1.1
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-propertycontrolst....js (ciruspubli)	http/1.1
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-agendalistwebpart....js (ciruspubli)	http/1.1
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/spfx-controlstrings_fr....js (ciruspubli)	http/1.1
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/spfx-propertycontrolst....js (ciruspubli)	http/1.1
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/spfx-tagcloudwebpartst....js (ciruspubli)	http/1.1
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/spfx-quicklinkwebparts....js (ciruspubli)	http/1.1
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-blocactuwebpartst....js (ciruspubli)	http/1.1
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-focuspublicationw....js (ciruspubli)	http/1.1
...3f14b545-9f67-4506-a827-4f072116fa2c/spfx-controlstrings_fr....js (ciruspubli)	http/1.1
...3f14b545-9f67-4506-a827-4f072116fa2c/spfx-richtextck5webpar....js (ciruspubli)	http/1.1
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/spfx-playervideowebpar....js (ciruspubli)	http/1.1
...fr-fr/sp-webpart-shared.js?uniqueId=hhPtU (intranet-oi)	http/1.1
...icons/fabric-icons-1-8143b877.woff (intranet-oi)	http/1.1
...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-header-appli....js (ciruspubli)	http/1.1
...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-menu-appli....js (ciruspubli)	http/1.1
...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-footer-appli....js (ciruspubli)	http/1.1
...83ffa662-304b-41b5-b181-660386dcf844/sync-menu-application-....js (ciruspubli)	http/1.1
...spclient/segoeui-light_330e17b....woff2 (intranet-oi)	http/1.1
...spclient/segoeui-regular_865f1db....woff2 (intranet-oi)	http/1.1
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/navigation-listener-ap....js (ciruspubli)	http/1.1
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/toolbar-application-cu....js (ciruspubli)	http/1.1
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/page-cmd-application-c....js (ciruspubli)	http/1.1
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/page-global-applicatio....js (ciruspubli)	http/1.1
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/comments-application-c....js (ciruspubli)	http/1.1
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/focus-publication-web-....js (ciruspubli)	http/1.1
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/blocactu_d173a09....js (ciruspubli)	http/1.1
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/actus-slider-web-part_....js (ciruspubli)	http/1.1

URL	Protocol
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/liens-images-web-part_....js (ciruspubli)	http/1.1
...3f14b545-9f67-4506-a827-4f072116fa2c/ckeditor_3c2150b....js (ciruspubli)	http/1.1
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/breves-web-part_eed0ae....js (ciruspubli)	http/1.1
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/agenda-list-web-part_f....js (ciruspubli)	http/1.1
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/quick-link-web-part_50....js (ciruspubli)	http/1.1
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/player-video-web-part_....js (ciruspubli)	http/1.1
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/tag-cloud-web-part_317....js (ciruspubli)	http/1.1
...fr-fr/sp-title-region-webpart.js?uniqueId=hhPtU (intranet-oi)	http/1.1
...spclient/11.sp-pages-service.js (intranet-oi)	http/1.1
...spclient/spdefaultbanner_light_a0bc58c....jpg (intranet-oi)	http/1.1
...getList('%2FLists%2FConfig')/items?\$filter=... (intranet-oi)	http/1.1
...getList('%2FSitePages')/items(42)?\$select=... (intranet-oi)	http/1.1
/_api/web (intranet-oi)	http/1.1
...IMAGES%20SHUTTERSTOCK%20BD/Innovation1_bd.jpg (intranet-oi)	http/1.1
...IMAGES%20SHUTTERSTOCK%20BD/Id%C3%A9e3_bd.jpg (intranet-oi)	http/1.1
...IMAGES%20SHUTTERSTOCK%20BD/Livres2_bd.jpg?csf=1&e=betruD (intranet-oi)	http/1.1
/_api/contextinfo (intranet-oi)	http/1.1
...web/currentuser?\$select=Id,LoginName,Title (intranet-oi)	http/1.1
...getList('%2FLists%2FConfig')/items?\$filter=... (intranet-oi)	http/1.1
...getList('%2FLists%2FConfig')/items?\$filter=... (intranet-oi)	http/1.1
...spclient/5.sp-pages-navigation.js (intranet-oi)	http/1.1
...styles/SuiteNav.css?rev=dbsMbuoD4...%3D%3DTAG0 (intranet-oi)	http/1.1
...spclient/6.sp-pages-statemanager.js (intranet-oi)	http/1.1
...spclient/13.sp-command-bar.js (intranet-oi)	http/1.1
...15/SuiteNavStandalone.js?rev=d8a%2BXXlpZzu...%3D%3DTAG0 (intranet-oi)	http/1.1
...spclient/fabriccmdl2icons-2.53_4fe7efc....woff2 (intranet-oi)	http/1.1
...fields/getByInternalNameOrTitle('bdfCategoryAgenda') (intranet-oi)	http/1.1
...web/getList('%2FLists%2FAgenda') (intranet-oi)	http/1.1
...images/sitepagethumbnail.png (intranet-oi)	http/1.1
...spclient/8.onepagenavigation-todoclib.js (intranet-oi)	http/1.1
...getList('%2FSitePages')/items(42)?\$select=... (intranet-oi)	http/1.1
...social.following/IsFollowed (intranet-oi)	http/1.1
...Style/editor.css (intranet-oi)	http/1.1

URL	Protocol
...search/postquery (intranet-oi)	http/1.1
...getList('%2FLists%2FBreves')/getitems (intranet-oi)	http/1.1
...spclient/10.sp-pages-search.js (intranet-oi)	http/1.1
...search/query?QueryText=... (intranet-oi)	http/1.1
...getList('%2FLists%2FConfig')/items?\$filter=... (intranet-oi)	http/1.1
...lists('1dbd3c0d-43d7-41be-a09d-953d405810d3')/getitems (intranet-oi)	http/1.1
...getList('%2FLists%2FConfig')/items?\$filter=... (intranet-oi)	http/1.1
...getList('%2FLists%2FConfig')/items?\$filter=... (intranet-oi)	http/1.1
...getList('%2FLists%2FMedias')/getitems (intranet-oi)	http/1.1
...web/GetOnePageContextAsStream (intranet-oi)	http/1.1
...Fonts/barlowsemicondensed-regular.woff (intranet-oi)	http/1.1
...Fonts/barlowsemicondensed-semibold.woff (intranet-oi)	http/1.1
...Fonts/barlowsemicondensed-medium.woff (intranet-oi)	http/1.1
...spclient/30.sp-pages-pagestatusnotifier.js (intranet-oi)	http/1.1
...web/EffectiveBasePermissions (intranet-oi)	http/1.1
...getList('%2FLists%2FConfig')/items?\$filter=... (intranet-oi)	http/1.1
...getList('%2FLists%2FConfig')/items?\$filter=... (intranet-oi)	http/1.1
...folder/files?\$select=ServerRelativeUrl (intranet-oi)	http/1.1
...items(6)/AttachmentFiles?\$select=ServerRelativeUrl (intranet-oi)	http/1.1
...odspnext/require-dev.js?rev=d9ZmVmtli...%3D%3DTAG0 (intranet-oi)	http/1.1
...odspnext/listviewd....js?rev=nrOmv8ZN7...%3D%3DTAG0 (intranet-oi)	http/1.1
...odspnext/knockout.js?rev=9WO%2BKSaWlWk...%3D%3DTAG0 (intranet-oi)	http/1.1
...odspnext/react.js?rev=3UacE4f8r...%3D%3DTAG0 (intranet-oi)	http/1.1
...odspnext/splistrea....js?rev=UV7bl2mUZ...%3D%3DTAG0 (intranet-oi)	http/1.1
...fr/splistrea....resx.js?rev=rooeG%2B8ZMYID1nqONW4agg%3D%3DTAG0 (intranet-oi)	http/1.1
...odspnext/spoapp.js?rev=Hxkyvfk%2Fo4z6epnZ50VecA%3D%3DTAG0 (intranet-oi)	http/1.1
...odspnext/spofiles.js?rev=VR1emyK18i0U8cBi%2F8Pwtw%3D%3DTAG0 (intranet-oi)	http/1.1
...fr/spofiles.resx.js?rev=CATvpiTZx...%2B1w%3D%3DTAG0 (intranet-oi)	http/1.1
...odspnext/splist.js?rev=aC4bXHs%2FJe9jR6sr38ZsJA%3D%3DTAG0 (intranet-oi)	http/1.1
...getList('%2FLists%2FConfig')/items?\$filter=... (intranet-oi)	http/1.1
...getList('%2FSitePages')/items(35)?\$select=... (intranet-oi)	http/1.1
...Fonts/barlowsemicondensed-bold.woff (intranet-oi)	http/1.1
...items(11)/AttachmentFiles?\$select=ServerRelativeUrl (intranet-oi)	http/1.1

URL	Protocol
...lists('503fa27c-dadb-45c7-9f8b-7e8c484e2695')/getitems (intranet-oi)	http/1.1
...getList('%2FLists%2FDiscussions%20de%20la%20communaute')/items... (intranet-oi)	http/1.1
...getFolder...('%2FSitePages%2FTemplates')/files?\$select=... (intranet-oi)	http/1.1
...rootFolder/folders (intranet-oi)	http/1.1
...items(9)/AttachmentFiles?\$select=ServerRelativeUrl (intranet-oi)	http/1.1
...getList('%2FLists%2FDiscussions%20de%20la%20communaute')/items... (intranet-oi)	http/1.1
...getList('%2FSitePages')/getitems (intranet-oi)	http/1.1
...items(8)/AttachmentFiles?\$select=ServerRelativeUrl (intranet-oi)	http/1.1
...15/SPAndroid....aspx?ReferrerUrl=... (intranet-oi)	http/1.1
...IMAGES%20SHUTTERSTOCK%20BD/ld%C3%A9e6_bd.jpg (intranet-oi)	http/1.1
...web/getUserById(26) (intranet-oi)	http/1.1
...items(2)/AttachmentFiles?\$select=ServerRelativeUrl (intranet-oi)	http/1.1
...web/getUserById(1) (intranet-oi)	http/1.1
...getList('%2FSitePages')/items(34)?\$select=... (intranet-oi)	http/1.1
...items(1)/AttachmentFiles?\$select=ServerRelativeUrl (intranet-oi)	http/1.1
...getList('%2FLists%2FDiscussions%20de%20la%20communaute')/items... (intranet-oi)	http/1.1
...items(7)/AttachmentFiles?\$select=ServerRelativeUrl (intranet-oi)	http/1.1
...getList('%2FLists%2FDiscussions%20de%20la%20communaute')/items... (intranet-oi)	http/1.1
...items(10)/AttachmentFiles?\$select=ServerRelativeUrl (intranet-oi)	http/1.1
...getList('%2FSitePages')/items(33)?\$select=... (intranet-oi)	http/1.1
...6/annuaire.svg (intranet-oi)	http/1.1
...11/esalia.svg (intranet-oi)	http/1.1
...9/espace_rh.svg (intranet-oi)	http/1.1
...8/gescoco.svg (intranet-oi)	http/1.1
...7/notilus.svg (intranet-oi)	http/1.1
...10/offre_logement.svg (intranet-oi)	http/1.1
...2/ld%C3%A9e1_bd.jpg (intranet-oi)	http/1.1
...1/Comm4_bd.jpg (intranet-oi)	http/1.1
...getList('%2FLists%2FDiscussions%20de%20la%20communaute')/items... (intranet-oi)	http/1.1
...getList('%2FLists%2FDiscussions%20de%20la%20communaute')/items... (intranet-oi)	http/1.1
...getList('%2FSitePages')/items(29)?\$select=... (intranet-oi)	http/1.1
...getList('%2FLists%2FDiscussions%20de%20la%20communaute')/items... (intranet-oi)	http/1.1
...getList('%2FLists%2FDiscussions%20de%20la%20communaute')/items... (intranet-oi)	http/1.1

URL	Protocol
...IMAGES%20SHUTTERSTOCK%20BD/Intranet1_bd.jpg (intranet-oi)	http/1.1
...IMAGES%20SHUTTERSTOCK%20BD/ld%C3%A9e5_bd.jpg (intranet-oi)	http/1.1
...IMAGES%20SHUTTERSTOCK%20BD/Ordinateur1_bd.jpg (intranet-oi)	http/1.1
...getList('%2FSitePages')/items(27)?\$select=... (intranet-oi)	http/1.1
...getList('%2FLists%2FDiscussions%20de%20la%20communaute')/items... (intranet-oi)	http/1.1
...getList('%2FLists%2FDiscussions%20de%20la%20communaute')/items... (intranet-oi)	http/1.1
...getList('%2FSitePages')/items(13)?\$select=... (intranet-oi)	http/1.1
...getList('%2FLists%2FDiscussions%20de%20la%20communaute')/items... (intranet-oi)	http/1.1
...getList('%2FLists%2FDiscussions%20de%20la%20communaute')/items... (intranet-oi)	http/1.1
...IMAGES%20SHUTTERSTOCK%20BD/Livres1.jpg (intranet-oi)	http/1.1
...Hauts-de-France/histogramme%20image%203.jpg (intranet-oi)	http/1.1

Diagnostics — More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

▲ Avoid enormous network payloads — Total size was 32,129 KiB ^

Large network payloads cost users real money and are highly correlated with long load times. [Learn more](#).

☒ Show 3rd-party resources (9)

URL	Transfer Size
/SiteAssets/__sitelogo__180181-002.jpg (intranet-oi)	4,018.4 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/actus-slider-web-part_....js (ciruspubli)	1,603.0 KiB
...3f14b545-9f67-4506-a827-4f072116fa2c/ckeditor_3c2150b....js (ciruspubli)	1,537.1 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/focus-publication-web-....js (ciruspubli)	1,519.7 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/blocactu_d173a09....js (ciruspubli)	1,506.0 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/breves-web-part_eed0ae....js (ciruspubli)	1,472.3 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/toolbar-application-cu....js (ciruspubli)	1,212.2 KiB
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/player-video-web-part_....js (ciruspubli)	1,176.0 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/liens-images-web-part_....js (ciruspubli)	1,103.3 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/page-cmd-application-c....js (ciruspubli)	1,090.3 KiB

▲ Serve static assets with an efficient cache policy — 60 resources found ^

A long cache lifetime can speed up repeat visits to your page. [Learn more](#).

☒ Show 3rd-party resources (44)

URL	Cache TTL	Transfer Size
/SiteAssets/__sitelogo__180181-002.jpg (intranet-oi)	1 d	4,018 KiB

URL	Cache TTL	Transfer Size
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/actus-slider-web-part_....js (ciruspubli)	1 d	1,603 KiB
...3f14b545-9f67-4506-a827-4f072116fa2c/ckeditor_3c2150b....js (ciruspubli)	1 d	1,537 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/focus-publication-web-....js (ciruspubli)	1 d	1,520 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/blocactu_d173a09....js (ciruspubli)	1 d	1,506 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/breves-web-part_eed0ae....js (ciruspubli)	1 d	1,472 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/toolbar-application-cu....js (ciruspubli)	1 d	1,212 KiB
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/player-video-web-part_....js (ciruspubli)	1 d	1,176 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/liens-images-web-part_....js (ciruspubli)	1 d	1,103 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/page-cmd-application-c....js (ciruspubli)	1 d	1,090 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/agenda-list-web-part_f....js (ciruspubli)	1 d	1,037 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/comments-application-c....js (ciruspubli)	1 d	1,014 KiB
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/quick-link-web-part_50....js (ciruspubli)	1 d	913 KiB
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/tag-cloud-web-part_317....js (ciruspubli)	1 d	900 KiB
...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-menu-applica....js (ciruspubli)	1 d	729 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/page-global-applicatio....js (ciruspubli)	1 d	684 KiB
...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-header-appli....js (ciruspubli)	1 d	656 KiB
...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-footer-appli....js (ciruspubli)	1 d	637 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/navigation-listener-ap....js (ciruspubli)	1 d	608 KiB
...83ffa662-304b-41b5-b181-660386dcf844/sync-menu-application-....js (ciruspubli)	1 d	585 KiB
...IMAGES%20SHUTTERSTOCK%20BD/Livres2_bd.jpg?csf=1&e=betruD (intranet-oi)	1 d	335 KiB
...IMAGES%20SHUTTERSTOCK%20BD/Ordinateur1_bd.jpg (intranet-oi)	1 d	296 KiB
...IMAGES%20SHUTTERSTOCK%20BD/Ordinateur1_bd.jpg (intranet-oi)	1 d	296 KiB
...IMAGES%20SHUTTERSTOCK%20BD/ld%C3%A9e5_bd.jpg (intranet-oi)	1 d	293 KiB
...IMAGES%20SHUTTERSTOCK%20BD/ld%C3%A9e5_bd.jpg (intranet-oi)	1 d	293 KiB
...Hauts-de-France/histogramme%20image%203.jpg (intranet-oi)	1 d	286 KiB
...IMAGES%20SHUTTERSTOCK%20BD/Livres1.jpg (intranet-oi)	1 d	259 KiB
...IMAGES%20SHUTTERSTOCK%20BD/Intranet1_bd.jpg (intranet-oi)	1 d	259 KiB
...IMAGES%20SHUTTERSTOCK%20BD/Intranet1_bd.jpg (intranet-oi)	1 d	259 KiB
...IMAGES%20SHUTTERSTOCK%20BD/ld%C3%A9e6_bd.jpg (intranet-oi)	1 d	259 KiB
...IMAGES%20SHUTTERSTOCK%20BD/ld%C3%A9e6_bd.jpg (intranet-oi)	1 d	259 KiB
...IMAGES%20SHUTTERSTOCK%20BD/ld%C3%A9e6_bd.jpg (intranet-oi)	1 d	259 KiB
...IMAGES%20SHUTTERSTOCK%20BD/Innovation1_bd.jpg (intranet-oi)	1 d	216 KiB
...IMAGES%20SHUTTERSTOCK%20BD/ld%C3%A9e3_bd.jpg (intranet-oi)	1 d	193 KiB

URL	Cache TTL	Transfer Size
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/spfx-controlstrings_fr....js (ciruspubli)	1 d	7 KiB
...3f14b545-9f67-4506-a827-4f072116fa2c/spfx-controlstrings_fr....js (ciruspubli)	1 d	7 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-controlstrings_fr....js (ciruspubli)	1 d	7 KiB
...83ffa662-304b-41b5-b181-660386dcf844/spfx-controlstrings_fr....js (ciruspubli)	1 d	7 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/spfx-controlstrings_fr....js (ciruspubli)	1 d	7 KiB
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/spfx-propertycontrolst....js (ciruspubli)	1 d	2 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-propertycontrolst....js (ciruspubli)	1 d	2 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/spfx-pagecmdapplicatio....js (ciruspubli)	1 d	2 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-focuspublicationw....js (ciruspubli)	1 d	2 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/spfx-toolbarapplicatio....js (ciruspubli)	1 d	1 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-liensimageswebpar....js (ciruspubli)	1 d	1 KiB
...Style/editor.css (intranet-oi)	1 d	1 KiB
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/spfx-playervideowebpar....js (ciruspubli)	1 d	1 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-blocactuwebpartst....js (ciruspubli)	1 d	1 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/spfx-commentsapplicati....js (ciruspubli)	1 d	1 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-actussliderwebpar....js (ciruspubli)	1 d	1 KiB
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/spfx-quicklinkwebparts....js (ciruspubli)	1 d	1 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-breveswebpartstri....js (ciruspubli)	1 d	1 KiB
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-agendalistwebpart....js (ciruspubli)	1 d	1 KiB
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/spfx-tagcloudwebpartst....js (ciruspubli)	1 d	1 KiB
...3f14b545-9f67-4506-a827-4f072116fa2c/spfx-richtextck5webpar....js (ciruspubli)	1 d	1 KiB
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/spfx-pageglobalapplica....js (ciruspubli)	1 d	1 KiB
...83ffa662-304b-41b5-b181-660386dcf844/spfx-intrane2footerapp....js (ciruspubli)	1 d	1 KiB
...83ffa662-304b-41b5-b181-660386dcf844/spfx-intrane2headerapp....js (ciruspubli)	1 d	1 KiB
...83ffa662-304b-41b5-b181-660386dcf844/spfx-intrane2menuappli....js (ciruspubli)	1 d	1 KiB
...83ffa662-304b-41b5-b181-660386dcf844/spfx-syncmenuapplicati....js (ciruspubli)	1 d	1 KiB

▲ Ensure text remains visible during webfont load



Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. [Learn more.](#)

☒ Show 3rd-party resources (3)

URL	Potential Savings
...icons/fabric-icons-1-8143b877.woff (intranet-oi)	30 ms
...spclient/segoeui-light_330e17b....woff2 (intranet-oi)	10 ms

URL	Potential Savings
...spclient/segoeui-regular_865f1db....woff2 (intranet-oi)	10 ms
...segoeui-westeuropean/segoeui-regular.woff2 (static2.sharepointonline.com)	520 ms
...spclient/fabriccmdl2icons-2.53_4fe7efc....woff2 (intranet-oi)	10 ms
...segoeui-westeuropean/segoeui-semibold.woff2 (static2.sharepointonline.com)	190 ms
...Fonts/barlowsemicondensed-regular.woff (intranet-oi)	320 ms
...Fonts/barlowsemicondensed-semibold.woff (intranet-oi)	310 ms
...Fonts/barlowsemicondensed-medium.woff (intranet-oi)	310 ms
...Fonts/barlowsemicondensed-bold.woff (intranet-oi)	90 ms
...segoeui-westeuropean/segoeui-bold.woff2 (static2.sharepointonline.com)	590 ms

▲ Minimize main-thread work — 11.4 s

^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#)

Category	Time Spent
Script Evaluation	6,008 ms
Other	2,637 ms
Style & Layout	1,322 ms
Script Parsing & Compilation	925 ms
Rendering	263 ms
Garbage Collection	133 ms
Parse HTML & CSS	64 ms

▲ Reduce JavaScript execution time — 6.6 s

^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#).

☒ Show 3rd-party resources (19)

URL	Total CPU Time	Script Evaluation	Script Parse
...perfs/Perfs-accueil-INT.aspx (intranet-oi)	1,418 ms	522 ms	12 ms
Unattributable	1,338 ms	133 ms	0 ms
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/actus-slider-web-part_....js (ciruspubli)	964 ms	673 ms	59 ms
...fr-fr/sp-pages-assembly.js?uniqueId=hhPtU (intranet-oi)	895 ms	399 ms	48 ms
...3f14b545-9f67-4506-a827-4f072116fa2c/ckeditor_3c2150b....js (ciruspubli)	647 ms	485 ms	61 ms
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/blocactu_d173a09....js (ciruspubli)	508 ms	363 ms	59 ms

URL	Total CPU Time	Script Evaluation	Script Parse
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/focus-publication-web-....js (ciruspubli)	495 ms	289 ms	68 ms
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/breves-web-part_eed0ae....js (ciruspubli)	485 ms	289 ms	50 ms
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/comments-application-c....js (ciruspubli)	449 ms	196 ms	38 ms
...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-header-appli....js (ciruspubli)	373 ms	131 ms	24 ms
...spclient/10.sp-pages-search.js (intranet-oi)	334 ms	264 ms	31 ms
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/agenda-list-web-part_f....js (ciruspubli)	325 ms	221 ms	33 ms
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/quick-link-web-part_50....js (ciruspubli)	282 ms	195 ms	27 ms
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/page-cmd-application-c....js (ciruspubli)	280 ms	192 ms	37 ms
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/toolbar-application-cu....js (ciruspubli)	265 ms	152 ms	44 ms
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/liens-images-web-part_....js (ciruspubli)	253 ms	164 ms	40 ms
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/player-video-web-part_....js (ciruspubli)	251 ms	162 ms	39 ms
...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-footer-appli....js (ciruspubli)	235 ms	174 ms	32 ms
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/tag-cloud-web-part_317....js (ciruspubli)	185 ms	120 ms	27 ms
...83ffa662-304b-41b5-b181-660386dcf844/sync-menu-application-....js (ciruspubli)	184 ms	90 ms	49 ms
...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-menu-applica....js (ciruspubli)	148 ms	91 ms	22 ms
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/page-global-applicatio....js (ciruspubli)	132 ms	68 ms	19 ms
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/navigation-listener-ap....js (ciruspubli)	118 ms	66 ms	18 ms
...spclient/5.sp-pages-navigation.js (intranet-oi)	74 ms	69 ms	0 ms
...fr-fr/sp-title-region-webpart.js?uniqueId=hhPtU (intranet-oi)	70 ms	59 ms	7 ms
...spclient/0.legacy-third-party-fabric-core.js (intranet-oi)	62 ms	43 ms	5 ms
...spclient/30.sp-pages-pagestatusnotifier.js (intranet-oi)	62 ms	47 ms	2 ms
...spclient/6.sp-pages-statemanager.js (intranet-oi)	57 ms	49 ms	2 ms
...spclient/8.onepagenavigation-todoclib.js (intranet-oi)	51 ms	43 ms	1 ms

Avoid an excessive DOM size — 1,218 elements



A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn more.](#)



Consider using a "windowing" library like `react-window` to minimize the number of DOM nodes created if you are rendering many repeated elements on the page. [Learn more](#). Also, minimize unnecessary re-renders using ``shouldComponentUpdate``, ``PureComponent``, or ``React.memo`` and [skip effects](#) only until certain dependencies have changed if you are using the ``Effect`` hook to improve runtime performance.

Statistic	Element	Value
Total DOM Elements		1,218
Maximum DOM Depth	i_3MrC2im6XhVRwSrA4bDbRk.label.label-circle	43
Maximum Child Elements	nav._3Td_fAeFPgyFikLCBZr28w._3-mJ73H4ruPcTdEcFQW-ix	16

Avoid chaining critical requests — 13 chains found ^

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn more](#).

Maximum critical path latency: **15,510 ms**

Initial Navigation

...perfs/Perfs-accueil-INT.aspx (intranet-oi)
...icons/fabric-icons-1-8143b877.woff (intranet-oi) - 30 ms, 11.61 KiB
...spclient/segoeui-light_330e17b....woff2 (intranet-oi) - 10 ms, 28.70 KiB
...spclient/segoeui-regular_865f1db....woff2 (intranet-oi) - 10 ms, 36.13 KiB
...segoeui-westeuropean/segoeui-regular.woff2 (static2.sharepointonline.com) - 520 ms, 36.26 KiB
data:font/woff;base64,d09GRgABA...+AAAB0iibf.../P/yIDMwPJAA...//v9dZm... - 2,390 ms, 26.25 KiB
data:font/woff;base64,d09GRgABA.../0+GN2dCAAAA...+XpnYXNwAA...+wBw2ht... - 2,390 ms, 17.94 KiB
data:font/woff;base64,d09GRgABA.../AAARFBzHH...+AAAB0iibf...+OLAXBvc3... - 1,850 ms, 25.11 KiB
data:font/woff;base64,d09GRgABA...+AAAB0iibf...+WZwZ20AAA.../wAAAAA1i... - 1,840 ms, 25.60 KiB
...spclient/fabricmdl2icons-2.53_4fe7efc....woff2 (intranet-oi) - 10 ms, 103.18 KiB
...segoeui-westeuropean/segoeui-semibold.woff2 (static2.sharepointonline.com) - 190 ms, 31.84 KiB
data:application/font-woff;base64,d09GRgABA.../J7mjmdhc3.../wAACwBA... - 60 ms, 13.54 KiB
data:font/woff;base64,d09GRk9UV.../pWDkZGVE0.../rmNtYXAAA...+UCA2htdH... - 80 ms, 1.35 KiB
...segoeui-westeuropean/segoeui-bold.woff2 (static2.sharepointonline.com) - 590 ms, 32.96 KiB

User Timing marks and measures — 17 user timings ^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more](#).



Use the React DevTools Profiler, which makes use of the Profiler API, to measure the rendering performance of your components. [Learn more](#).

Name	Type	Start Time	Duration
headStart	Mark	4,492.17 ms	
preconnectStart	Mark	4,492.77 ms	

Name	Type	Start Time	Duration
preconnectEnd	Mark	4,493.05 ms	
renderCssLinkStart	Mark	4,493.72 ms	
renderCssLinkEnd	Mark	4,494 ms	
moduleLoaderScriptStart	Mark	4,494.63 ms	
moduleLoaderScriptEnd	Mark	4,975.02 ms	
scriptPreloadStart	Mark	4,975.32 ms	
scriptPreloadEnd	Mark	4,975.6 ms	
headEnd	Mark	4,975.92 ms	
bodyStart	Mark	4,976.49 ms	
executionScriptStart	Mark	4,994.65 ms	
spModuleLoaderStart	Mark	4,997.38 ms	
executionScriptEnd	Mark	5,012.77 ms	
EUPL.appStartMark	Mark	5,058.93 ms	
EUPL.beforeCanvasRenderMark	Mark	5,124.46 ms	
bodyEnd	Mark	5,398.73 ms	

Keep request counts low and transfer sizes small — 220 requests • 32,129 KiB

^

To set budgets for the quantity and size of page resources, add a budget.json file. [Learn more](#).

Resource Type	Requests	Transfer Size
Total	220	32,129.2 KiB
Script	65	22,738.1 KiB
Image	19	8,377.2 KiB
Other	122	536.6 KiB
Font	11	388.6 KiB
Document	1	72.0 KiB
Stylesheet	2	16.6 KiB
Media	0	0.0 KiB
Third-party	47	20,144.1 KiB


Largest Contentful Paint element — 1 element found

^

This is the largest contentful element painted within the viewport. [Learn More](#)

Element

Element



img_1FSBakRc-lkf0Pemjnl0hP


Avoid large layout shifts — 5 elements found



These DOM elements contribute most to the CLS of the page.

Element

CLS
Contribution



div.CanvasSection.CanvasSection-col.CanvasSection-sm12.CanvasSection-xl4.CanvasSection--read

0.33




div.CanvasZoneContainer.CanvasZoneContainer--hintUpdate.CanvasZoneContainer--read

0.139



div.pageContainer_c71a38cf.container_c71a38cf

0.092



div

0.074

img_1i-1cwhQGMF3R7kNizUORB

0.039

Avoid long main-thread tasks — 20 long tasks found



Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn more](#)

☒ Show 3rd-party resources (18)

URL

Start Time Duration

...fr-fr/sp-pages-assembly.js?uniqueId=hhPtU (intranet-oi)	1,774 ms	815 ms
...3f14b545-9f67-4506-a827-4f072116fa2c/ckeditor_3c2150b....js (ciruspubli)	21,752 ms	330 ms
...spclient/10.sp-pages-search.js (intranet-oi)	31,302 ms	308 ms
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/actus-slider-web-part_....js (ciruspubli)	19,465 ms	287 ms

URL	Start Time	Duration
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/focus-publication-web-....js (ciruspubli)	15,689 ms	257 ms
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/toolbar-application-cu....js (ciruspubli)	10,089 ms	252 ms
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/blocactu_d173a09....js (ciruspubli)	16,112 ms	209 ms
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/breves-web-part_eed0ae....js (ciruspubli)	21,442 ms	201 ms
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/page-cmd-application-c....js (ciruspubli)	12,787 ms	187 ms
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/comments-application-c....js (ciruspubli)	12,592 ms	182 ms
...83ffa662-304b-41b5-b181-660386dcf844/sync-menu-application-....js (ciruspubli)	6,369 ms	181 ms
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/player-video-web-part_....js (ciruspubli)	22,898 ms	145 ms
...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-footer-appli....js (ciruspubli)	6,668 ms	142 ms
...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-header-appli....js (ciruspubli)	6,810 ms	140 ms
...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-menu-applica....js (ciruspubli)	7,296 ms	138 ms
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/liens-images-web-part_....js (ciruspubli)	17,122 ms	136 ms
...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/agenda-list-web-part_f....js (ciruspubli)	22,082 ms	135 ms
...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/tag-cloud-web-part_317....js (ciruspubli)	23,202 ms	123 ms
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/navigation-listener-ap....js (ciruspubli)	6,550 ms	118 ms
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/page-global-applicatio....js (ciruspubli)	10,585 ms	114 ms

Avoid non-composited animations — 11 animated elements found



Animations which are not composited can be janky and increase CLS. [Learn more](#)

Element

::after
<::after>

Unsupported CSS Property: line-height

::after
<::after>

Unsupported CSS Property: line-height

::after
<::after>

Unsupported CSS Property: line-height

::after
<::after>

Unsupported CSS Property: line-height

::after
<::after>

Unsupported CSS Property: line-height

::after
<::after>

Element

Unsupported CSS Property: line-height

```
::after
<::after>
```

Unsupported CSS Property: line-height

```
::after
<::after>
```

Unsupported CSS Property: line-height

```
::after
<::after>
```

Unsupported CSS Property: line-height

```
::after
<::after>
```

Unsupported CSS Property: line-height

```
::after
<::after>
```

Unsupported CSS Property: line-height

Passed audits (18)

Eliminate render-blocking resources

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn more.](#)

Minify CSS

Minifying CSS files can reduce network payload sizes. [Learn more.](#)



If your build system minifies CSS files automatically, ensure that you are deploying the production build of your application. You can check this with the React Developer Tools extension. [Learn more.](#)

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn more.](#)



If your build system minifies JS files automatically, ensure that you are deploying the production build of your application. You can check this with the React Developer Tools extension. [Learn more.](#)

Remove unused CSS — Potential savings of 902 KiB

Remove dead rules from stylesheets and defer the loading of CSS not used for above-the-fold content to reduce unnecessary bytes consumed by network activity. [Learn more.](#)

☐ Show 3rd-party resources (0)

URL	Transfer Size	Potential Savings
.vZ9oBA-_Jd27ymrSzmpxJ{padding:10px 15px;background-color:#265f76;padding-left:250px;font-size:14px;...	112.6 KiB	111.2 KiB

URL	Transfer Size	Potential Savings
/*! * Bootstrap v4.6.0 (https://getbootstrap.com/) * Copyright 2011-2021 The Bootstrap Authors * ...	97.9 KiB	96.1 KiB
/*! * Bootstrap v4.6.0 (https://getbootstrap.com/) * Copyright 2011-2021 The Bootstrap Authors * ...	82.0 KiB	79.9 KiB
@font-face { font-family: 'Glyphicons Halflings'; src: url('data:application/vnd.ms-fontobject;b...	68.4 KiB	68.4 KiB
/*! * Bootstrap v4.6.0 (https://getbootstrap.com/) * Copyright 2011-2021 The Bootstrap Authors * ...	67.2 KiB	65.2 KiB
/*! * Bootstrap v4.6.0 (https://getbootstrap.com/) * Copyright 2011-2021 The Bootstrap Authors * ...	66.7 KiB	63.9 KiB
/*! * Bootstrap v4.6.0 (https://getbootstrap.com/) * Copyright 2011-2021 The Bootstrap Authors * ...	65.3 KiB	62.6 KiB
/*! * Bootstrap v4.6.0 (https://getbootstrap.com/) * Copyright 2011-2021 The Bootstrap Authors * ...	58.3 KiB	56.5 KiB
@font-face{font-family:FabricMDL2Icons; ... } ...	44.3 KiB	44.2 KiB
/*! * Bootstrap v4.6.0 (https://getbootstrap.com/) * Copyright 2011-2021 The Bootstrap Authors * ...	43.0 KiB	41.1 KiB
/*! * Bootstrap v4.6.0 (https://getbootstrap.com/) * Copyright 2011-2021 The Bootstrap Authors * ...	39.3 KiB	38.4 KiB
/*! * Bootstrap v4.6.0 (https://getbootstrap.com/) * Copyright 2011-2021 The Bootstrap Authors * ...	39.3 KiB	38.0 KiB
.accgroupedit { } ...	19.7 KiB	19.7 KiB
.ck.ck-placeholder:before,.ck .ck-placeholder:before{content:attr(data-placeholder); ... } ...	19.0 KiB	17.4 KiB
.root_e121819f{background:#ffffff;padding:8px} ...	16.5 KiB	16.1 KiB
@font-face { font-family: 'Barlow Semi Condensed'; src: url('data:font/woff;base64,d09GRgABAAAAA...	14.6 KiB	14.6 KiB
@font-face { font-family: 'Barlow Semi Condensed'; src: url('data:font/woff;base64,d09GRgABAAAAA...	14.4 KiB	14.4 KiB
@font-face { font-family: 'Barlow Semi Condensed'; src: url('data:font/woff;base64,d09GRgABAAAAA...	14.2 KiB	14.2 KiB
...styles/SuiteNav.css?rev=db5MbuaD4...%3D%3DTAG0 (intranet-oi)	15.2 KiB	14.0 KiB
.defaultIconClass_2e793b45{border:1px solid;border-color:#327d9b;height:35px;position:absolute; ... } ...	14.6 KiB	13.7 KiB
@font-face { font-family: 'Barlow Semi Condensed'; src: url('data:font/woff;base64,d09GRgABAAAAA...	12.4 KiB	12.4 KiB

Efficiently encode images ^

Optimized images load faster and consume less cellular data. [Learn more.](#)

Serve images in next-gen formats ^

Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more.](#)

Enable text compression ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more.](#)

Preconnect to required origins — Potential savings of 80 ms		^
Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. Learn more .		
URL	Potential Savings	
https://ciruspubli	80 ms	
Avoid multiple page redirects		
Redirects introduce additional delays before the page can be loaded. Learn more .		
 If you are using React Router, minimize usage of the ` <redirect>` component for route navigations.</redirect>		
Use video formats for animated content		
Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. Learn more		
Remove duplicate modules in JavaScript bundles		
Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity.		
Avoid serving legacy JavaScript to modern browsers		
Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. Learn More		
Preload Largest Contentful Paint image		
Preload the image used by the LCP element in order to improve your LCP time. Learn more .		
☐ Show 3rd party resources (0)		
URL	Potential Savings	
 ...IMAGES%20SHUTTERSTOCK%20BD/ld%C3%A9e6_bd.jpg (intranet-oi)	0 ms	
Minimize third-party usage		
Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. Learn more .		
Lazy load third-party resources with facades		
Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. Learn more .		
Uses passive listeners to improve scrolling performance		
Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. Learn more .		
Avoids <code>document.write()</code>		

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn more](#).

Image elements have explicit `width` and `height`



Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn more](#)



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

ARIA — These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

▲ `[role]`s are not contained by their required parent element



Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more](#).

Failing Elements



button#O365_MainLink_HamburgerButton.o365button.o365cs-nav-item.o365cs-nav-button.o365cs-navMenuButton.ms-bgc-tdr-h.ms-bgc-tp

Names and labels — These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

▲ Image elements do not have `[alt]` attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

Failing Elements

- img._1FSBakRc-lkf0Pemjnl0hP
- img._2z7nqUIk8fKxFYWFxwPsVr
- img._2z7nqUIk8fKxFYWFxwPsVr
- img._2z7nqUIk8fKxFYWFxwPsVr
- img._2z7nqUIk8fKxFYWFxwPsVr

▲ Links do not have a discernible name


^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn more.](#)


Failing Elements

a.focusIconWP

a.focusIconWP



a



a

Additional items to manually check (10) — These items address areas which an automated testing tool cannot cover. [Learn more](#) in our guide on [conducting an accessibility review](#).

The page has a logical tab order

^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more.](#)

Interactive controls are keyboard focusable

^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn more.](#)

Interactive elements indicate their purpose and state

^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn more.](#)

The user's focus is directed to new content added to the page

^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn more.](#)

User focus is not accidentally trapped in a region

^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn more.](#)

Custom controls have associated labels

^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more.](#)

Custom controls have ARIA roles

^

Custom interactive controls have appropriate ARIA roles. [Learn more.](#)

Visual order on the page follows DOM order

^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more.](#)

Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn more.](#)

HTML5 landmark elements are used to improve navigation ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more.](#)

Passed audits (20) ^

[aria-*] attributes match their roles ^

Each ARIA `role` supports a specific subset of `aria-\*` attributes. Mismatching these invalidates the `aria-\*` attributes. [Learn more.](#)

[aria-hidden="true"] is not present on the document <body> ^

Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. [Learn more.](#)

[aria-hidden="true"] elements do not contain focusable descendents ^

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn more.](#)

[role]s have all required [aria-*] attributes ^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more.](#)

Elements with an ARIA [role] that require children to contain a specific [role] have all required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more.](#)

[role] values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more.](#)

[aria-*] attributes have valid values ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more.](#)

[aria-*] attributes are valid and not misspelled ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more.](#)

Buttons have an accessible name ^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn more.](#)

The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more.](#)

Background and foreground colors have a sufficient contrast ratio ^

Low-contrast text is difficult or impossible for many users to read. [Learn more.](#)

Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

`[id]` attributes on active, focusable elements are unique ^

All focusable elements must have a unique ``id`` to ensure that they're visible to assistive technologies. [Learn more.](#)

Heading elements appear in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more.](#)

`<html>` element has a `[lang]` attribute ^

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more.](#)

`<html>` element has a valid value for its `[lang]` attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn more.](#)

Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more.](#)

List items (`<li>`) are contained within `<ul>` or `<ol>` parent elements ^

Screen readers require list items (`<li>`) to be contained within a parent `<ul>` or `<ol>` to be announced properly. [Learn more.](#)

`[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more.](#)

No element has a `[tabindex]` value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more.](#)

Not applicable (21) ^

`[accesskey]` values are unique ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more.](#)

`button`, `link`, and `menuitem` elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

ARIA input fields have accessible names ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

ARIA `meter` elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

ARIA `progressbar` elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

ARIA toggle fields have accessible names

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

ARIA `tooltip` elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

ARIA `treeitem` elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

`<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn more.](#)

Definition list items are wrapped in `<dl>` elements

Definition list items (``<dt>`` and ``<dd>``) must be wrapped in a parent ``<dl>`` element to ensure that screen readers can properly announce them. [Learn more.](#)

ARIA IDs are unique

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn more.](#)

No form fields have multiple labels

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn more.](#)

`<frame>` or `<iframe>` elements have a title

Screen reader users rely on frame titles to describe the contents of frames. [Learn more.](#)

`<input type="image">` elements have `[alt]` text

When an image is being used as an ``<input>`` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn more.](#)

Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more.](#)

The document does not use `<meta http-equiv="refresh">`

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more.](#)

`<object>` elements have `[alt]` text

Screen readers cannot translate non-text content. Adding alt text to `<object>` elements helps screen readers convey meaning to users. [Learn more.](#)

Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more.](#)

`<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more.](#)

`[lang]` attributes have a valid value

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn more.](#)

`<video>` elements contain a `<track>` element with `[kind="captions"]`

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more.](#)



Best Practices

Trust and Safety

▲ Includes front-end JavaScript libraries with known security vulnerabilities — 5 vulnerabilities detected

Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. [Learn more.](#)

Library Version	Vulnerability Count	Highest Severity
Lo-Dash@4.17.13	5	High

User Experience

▲ Displays images with incorrect aspect ratio

Image display dimensions should match natural aspect ratio. [Learn more.](#)

☐ Show 3rd-party resources (0)

URL	Aspect Ratio (Displayed)	Aspect Ratio (Actual)
-----	--------------------------	-----------------------

URL	Aspect Ratio (Displayed)	Aspect Ratio (Actual)
 ...1/Comm4_bd.jpg (intranet-oi)	38 x 38 (1.00)	1000 x 447 (2.24)
 ...2/Id%C3%A91_bd.jpg (intranet-oi)	38 x 38 (1.00)	1000 x 667 (1.50)

General

▲ Registers an `unload` listener ^

The ``unload`` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Consider using the ``pagehide`` or ``visibilitychange`` events instead. [Learn more](#)

☐ Show 3rd-party resources (0)

Source

sp-pages-assembly.js:702
10.sp-pages-search.js:8

▲ Browser errors were logged to the console ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more](#)

☐ Show 3rd-party resources (0)

Source

Description

SPAndroidAppManifest...2FPerfs-accueil-....:1	Failed to load resource: the server responded with a status of 401 (Unauthorized)
SPAndroidAppManifest...2FPerfs-accueil-....:1	Failed to load resource: the server responded with a status of 401 (Unauthorized)
SPAndroidAppManifest...2FPerfs-accueil-....:1	Manifest: Line: 1, column: 5, Unexpected data after root element.

▲ Issues were logged in the `Issues` panel in Chrome Devtools ^

Issues logged to the ``Issues`` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

☐ Show 3rd-party resources (0)

Issue type

SameSite cookie

...83ffa662-304b-41b5-b181-660386dcf844/spfx-controlstrings_fr....js (ciruspubli)
...83ffa662-304b-41b5-b181-660386dcf844/spfx-intrane2headerapp....js (ciruspubli)
...83ffa662-304b-41b5-b181-660386dcf844/spfx-intrane2menuappli....js (ciruspubli)
...83ffa662-304b-41b5-b181-660386dcf844/spfx-intrane2footerapp....js (ciruspubli)
...83ffa662-304b-41b5-b181-660386dcf844/spfx-syncmenuapplicati....js (ciruspubli)
...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/spfx-controlstrings_fr....js (ciruspubli)

Issue type

...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/spfx-toolbarapplicatio....js (ciruspubli)

...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/spfx-pagecmdapplicatio....js (ciruspubli)

...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/spfx-pageglobalapplica....js (ciruspubli)

...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/spfx-commentsapplicati....js (ciruspubli)

...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-controlstrings_fr....js (ciruspubli)

...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-actussliderwebpar....js (ciruspubli)

...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-liensimageswebpar....js (ciruspubli)

...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-breveswebpartstri....js (ciruspubli)

...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-propertycontrolst....js (ciruspubli)

...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-agendalistwebpart....js (ciruspubli)

...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/spfx-controlstrings_fr....js (ciruspubli)

...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/spfx-propertycontrolst....js (ciruspubli)

...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/spfx-tagcloudwebpartst....js (ciruspubli)

...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-blocactuwebpartst....js (ciruspubli)

...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/spfx-quicklinkwebparts....js (ciruspubli)

...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/spfx-focuspublicationw....js (ciruspubli)

...3f14b545-9f67-4506-a827-4f072116fa2c/spfx-controlstrings_fr....js (ciruspubli)

...3f14b545-9f67-4506-a827-4f072116fa2c/spfx-richtextck5webpar....js (ciruspubli)

...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/spfx-playervideowebpar....js (ciruspubli)

...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-header-appli....js (ciruspubli)

...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-menu-applica....js (ciruspubli)

...83ffa662-304b-41b5-b181-660386dcf844/intrane-2-footer-appli....js (ciruspubli)

...83ffa662-304b-41b5-b181-660386dcf844/sync-menu-application-....js (ciruspubli)

...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/navigation-listener-ap....js (ciruspubli)

...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/toolbar-application-cu....js (ciruspubli)

...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/page-cmd-application-c....js (ciruspubli)

...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/page-global-applicatio....js (ciruspubli)

...dfc1e53a-bc9c-4b3c-8430-4c7e2eb83426/comments-application-c....js (ciruspubli)

...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/focus-publication-web-....js (ciruspubli)

...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/blocactu_d173a09....js (ciruspubli)

...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/actus-slider-web-part_....js (ciruspubli)

...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/liens-images-web-part_....js (ciruspubli)

...3f14b545-9f67-4506-a827-4f072116fa2c/ckeditor_3c2150b....js (ciruspubli)

...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/breves-web-part_eed0ae....js (ciruspubli)

...52e3dac5-98ea-489a-b7d7-03d2de66ea4b/agenda-list-web-part_f....js (ciruspubli)

...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/quick-link-web-part_50....js (ciruspubli)

...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/player-video-web-part_....js (ciruspubli)

...136a0ca8-f9a5-4af4-ac89-5b857b09c7a8/tag-cloud-web-part_317....js (ciruspubli)

Passed audits (12)



Uses HTTPS



All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents

intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more.](#)

Links to cross-origin destinations are safe



Add ``rel="noopener"`` or ``rel="noreferrer"`` to any external links to improve performance and prevent security vulnerabilities. [Learn more.](#)

Avoids requesting the geolocation permission on page load



Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more.](#)

Avoids requesting the notification permission on page load



Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more.](#)

Allows users to paste into password fields



Preventing password pasting undermines good security policy. [Learn more.](#)

Serves images with appropriate resolution



Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn more.](#)

Page has the HTML doctype



Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more.](#)

Properly defines charset



A character encoding declaration is required. It can be done with a ``<meta>`` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more.](#)

Avoids Application Cache



Application Cache is deprecated. [Learn more.](#)

Detected JavaScript libraries



All front-end JavaScript libraries detected on the page. [Learn more.](#)

Name	Version
React	
Lo-Dash	4.17.13
RequireJS	2.1.20

Avoids deprecated APIs



Deprecated APIs will eventually be removed from the browser. [Learn more.](#)

Page has valid source maps



Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more.](#)

Not applicable (1)

Fonts with `font-display: optional` are preloaded



Preload `optional` fonts so first-time visitors may use them. [Learn more](#)



SEO

These checks ensure that your page is optimized for search engine results ranking. There are additional factors Lighthouse does not check that may affect your search ranking. [Learn more](#).

Content Best Practices — Format your HTML in a way that enables crawlers to better understand your app's content.**▲** Document does not have a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more](#).

▲ Image elements do not have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

Failing Elements

img._1FSBakRc-lkf0PemjnI0hP

img._2z7nqUIk8fKxFYWFxwPsVr

img._2z7nqUIk8fKxFYWFxwPsVr

img._2z7nqUIk8fKxFYWFxwPsVr

img._2z7nqUIk8fKxFYWFxwPsVr

Crawling and Indexing — To appear in search results, crawlers need access to your app.**▲** Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn More](#)

Uncrawlable Link

a#navigationListenerRedirect

a.ms-Button.ms-Button--action.ms-Button--command.ms-Nav-link.link-661

a.ms-Button.ms-Button--action.ms-Button--command.ms-Nav-link.link-661


Uncrawable Link

a.ms-Button.ms-Button--action.ms-Button--command.ms-Nav-link.link-661

a.focusLinkWP



a



a



a



a

Additional items to manually check (1) — Run these additional validators on your site to check additional SEO best practices. ^

Structured data is valid ^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more.](#)

Passed audits (7) ^

Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

Add a `<meta name="viewport">` tag to optimize your app for mobile screens. [Learn more.](#)

Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

Page has successful HTTP status code ^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more.](#)

Links have descriptive text ^

Descriptive link text helps search engines understand your content. [Learn more.](#)

Page isn't blocked from indexing ^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more.](#)

Document has a valid `hreflang` ^

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more.](#)

Document avoids plugins ^

Search engines can't index plugin content, and many devices restrict plugins or don't support them. [Learn more.](#)

Not applicable (4) ^

robots.txt is valid ^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more.](#)

Document has a valid `rel=canonical` ^

Canonical links suggest which URL to show in search results. [Learn more.](#)

Document uses legible font sizes ^

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥12px. [Learn more.](#)

Tap targets are sized appropriately ^

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more.](#)



Progressive Web App

These checks validate the aspects of a Progressive Web App. [Learn more.](#)

Installable

▲ Web app manifest or service worker do not meet the installability requirements — 1 reason ^

Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. [Learn more.](#)

Failure reason

Failure reason

No manifest was fetched

PWA Optimized

- ▲ Does not register a service worker that controls page and `start_url` ^

The service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. [Learn more](#).

Redirects HTTP traffic to HTTPS ^

If you've already set up HTTPS, make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more](#).

- ▲ Is not configured for a custom splash screen **Failures: No manifest was fetched.** ^

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. [Learn more](#).

Does not set a theme color for the address bar. ^

- ▲ **Failures: No manifest was fetched, No ``<meta name="theme-color">`` tag found.**

The browser address bar can be themed to match your site. [Learn more](#).

Content is sized correctly for the viewport ^

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. [Learn more](#).

Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

Add a `<meta name="viewport">` tag to optimize your app for mobile screens. [Learn more](#).

- ▲ Does not provide a valid `apple-touch-icon` ^

For ideal appearance on iOS when users add a progressive web app to the home screen, define an `apple-touch-icon`. It must point to a non-transparent 192px (or 180px) square PNG. [Learn More](#).

- ▲ Manifest doesn't have a maskable icon **No manifest was fetched** ^

A maskable icon ensures that the image fills the entire shape without being letterboxed when installing the app on a device. [Learn more](#).

Additional items to manually check (3) — These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually. ^

Site works cross-browser ^

To reach the most number of users, sites should work across every major browser. [Learn more](#).

Page transitions don't feel like they block on the network ^

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. [Learn more](#).

Each page has a URL



Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. [Learn more](#).

Runtime Settings

URL	https://intranet-oi/SitePages/perfs/Perfs-accueil-INT.aspx
Fetch Time	May 4, 2021, 9:15 AM GMT+2
Device	Emulated Desktop
Network throttling	40 ms TCP RTT, 10,240 Kbps throughput (Simulated)
CPU throttling	1x slowdown (Simulated)
Channel	devtools
User agent (host)	Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/90.0.4430.85 Safari/537.36
User agent (network)	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_6) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/90.0.4420.0 Safari/537.36 Chrome-Lighthouse
CPU/Memory Power	895
Axe version	4.1.2

Generated by **Lighthouse** 7.2.0 | [File an issue](#)